

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

Fig. 1






Fig 2

Fig 3




Fig 5




Fig 4




Fig 6A




Fig 6B




Fig 7




Fig 9




Fig 8





Fig 10







Fig 11.






Fig 13






Fig 14




Fig 15




Fig 16





Fig 17






Fig 20




Fig 21
















Fig 22












Fig 35






Fig 36

# OBL Cuff Stitch™


## Suture Passage and Pickup




Pass the loaded Cuff Stitch through the same cannula that your lead suture is exiting.



Rotate and push the Cuff Stitch shuttle through the tissue until the suture "Bowstrings" across the concave needle curve.



Using the Suture Manipulating Grasper or the Combination Suture / Tissue Graspers, grasp the "Bowstringed" section of suture on the concaved side of the needle.



Simultaneously pull the suture within the grasper out the cannula and remove the Cuff Stitch shuttle from the tissue.

EXHIBIT A

Stitching device with support ring and suture slot (Plate B)



Stitching device with support ring and suture slot (Plate A)

